

Explore for Claims Data Dictionary

Model: GW - Efc Exposure Inventory



Published on 10-July-2025
 ©2025 Guidewire Software, Inc. For information about Guidewire trademarks, visit <http://guidewire.com/legal-notice>.
 Guidewire Proprietary & Confidential -- DO NOT DISTRIBUTE

Model column name	Description	Type	Source table name	Source column name	Formula
Attributes (A-Z)					
Catastrophe	Number and name of a catastrophe with which a claim is associated.	Text	GW_Efc_Exposure_Table	catastrophe	
Catastrophe Description	Description of a catastrophe with which a claim is associated in ClaimCenter.	Text	GW_Efc_Exposure_Table	catastrophedescription	
Catastrophe Name	Name of a catastrophe with which a claim is associated. Catastrophe names are added to claims in ClaimCenter as catastrophes are cataloged.	Text	GW_Efc_Exposure_Table	catastrophename	
Catastrophe Type	Type of catastrophe with which a claim is associated, namely Internal or ISO. ISO means that the data was generated from a governing body, such as ISO in the United States. Internal means that the data was generated by other means, such as manually by the insurer.	Text	GW_Efc_Exposure_Table	catastrophetype	
Catastrophe Type Name	Type of catastrophe with which a claim is associated, namely Internal or ISO. ISO means that the data was generated from a governing body, such as ISO in the United States. Internal means that the data was generated by other means, such as manually by the insurer.	Text	GW_Efc_Exposure_Table	catastrophe_type_name	
Catastrophe Type Typecode	Type of catastrophe with which a claim is associated, namely Internal or ISO. ISO means that the data was generated from a governing body, such as ISO in the United States. Internal means that the data was generated by other means, such as manually by the insurer.	Text	GW_Efc_Exposure_Table	catastrophe_type_typecode	
Claim Accident Type	Code, such as Contact with fire or flame, Cut, puncture, scrape, injured by broken glass, or Fall, slip, or trip injury on same level, indicating detailed type of accident for an exposure's claim, augmenting Loss Cause.	Text	GW_Efc_Exposure_Table	claimaccidenttype	
Claim Assigned by User	First and last name of the ClaimCenter user who assigned a claim.	Text	GW_Efc_Exposure_Table	claimassignedbyuser	
Claim Assigned By User Department	Department of the ClaimCenter user who assigned a claim.	Text	GW_Efc_Exposure_Table	claimassignedbyuserdepartment	
Claim Assigned by User Experience Level	Experience level, namely Low, Mid, or High, of the ClaimCenter user who last assigned a claim. ClaimCenter administrators can assign users an experience level and then apply assignment rules to assign claims to appropriate users.	Text	GW_Efc_Exposure_Table	claimassignedbyuserexperiencelevel	
Claim Assigned By User PublicID	Unique generated ID that isn't human-readable, for a group or user.	Text	GW_Efc_Exposure_Table	claimassignedbyuserpublicid	
Claim Assigned by User Vacation Status	Vacation status, namely At work, On vacation, or On vacation (inactive), of the ClaimCenter user who last assigned a claim. ClaimCenter users can set their vacation status to redistribute assignments when they are not available.	Text	GW_Efc_Exposure_Table	claimassignedbyuservacationstatus	
Claim Assigned Group	Name of a group to which a claim is assigned. Groups organize ClaimCenter users such that anyone within a group can handle any unassigned item that is available within the group. Each group can consist of subgroups or individual ClaimCenter users. For activities, see also: AssignedQueue.Name.	Text	GW_Efc_Exposure_Table	claimassignedgroup	
Claim Assigned Group PublicID	Unique generated ID that isn't human-readable, for a group or user.	Text	GW_Efc_Exposure_Table	claimassignedgrouppublicid	
Claim Assigned Group Type	Code, such as Defense attorneys, Auto, Clean-up services, or Police, that identifies the function of the group to which a claim is assigned.	Text	GW_Efc_Exposure_Table	claimassignedgrouptype	
Claim Assigned User	First and last name of a ClaimCenter user to whom an item is assigned. This field is empty when the item is assigned to a queue.	Text	GW_Efc_Exposure_Table	claimassigneduser	
Claim Assigned User Department	The name, if any, of the assigned user's department for a claim.	Text	GW_Efc_Exposure_Table	claimassigneduserdepartment	
Claim Assigned User Experience Level	Experience level, such as Low, Mid, or High, of the ClaimCenter user to whom a claim is assigned. ClaimCenter administrators can assign users an experience level and then apply assignment rules to assign claims to appropriate users.	Text	GW_Efc_Exposure_Table	claimassigneduserexperiencelevel	
Claim Assigned User PublicID	Unique generated ID that isn't human-readable, for a group or user.	Text	GW_Efc_Exposure_Table	claimassigneduserpublicid	
Claim Assigned User Vacation Status	Vacation status, namely At work, On vacation, or On vacation (inactive), of the ClaimCenter user to whom a claim is assigned. ClaimCenter users can set their vacation status to redistribute assignments when they are not available.	Text	GW_Efc_Exposure_Table	claimassigneduservacationstatus	
Claim Assignment Date	Date and time when a claim was last assigned.	Date	GW_Efc_Exposure_Table	claimassignmentdate	
Claim Assignment Status	Assignment status, such as Assigned, Manual, Pending assignment, or Unassigned, of a claim.	Text	GW_Efc_Exposure_Table	claimassignmentstatus	
Claim Close Date	Date and time when a claim was closed.	Date	GW_Efc_Exposure_Table	claimcloseddate	
Claim Closed Outcome	Outcome reached when closing a claim, such as Completed, Duplicate, Fraud, Mistake, or Payments Complete.	Text	GW_Efc_Exposure_Table	claimclosedoutcome	
Claim Create Time	Timestamp indicating when a claim was created. This is the Time Filter field for the selected index, used by the time picker to restrict search results to a selected or specified time period.	Date	GW_Efc_Exposure_Table	claimcreatetime	
Claim Description	Description of an accident or loss.	Text	GW_Efc_Exposure_Table	claimdescription	
Claim Embed Assigned Group Public ID	Unique generated ID that isn't human-readable, for a group assigned to view embedded liveboards in ClaimCenter.	Text	Formula	Formula	exposureassignedgroup
Claim Jurisdiction State	Jurisdiction, such as Alaska, California, Western Australia, or District of Columbia, that covers a loss. Depending on regulations that apply to the line of business, this value might differ from the state in which the loss occurred.	Text	GW_Efc_Exposure_Table	claimjurisdictionstate	
Claim Number	External identifier of a claim.	Text	GW_Efc_Exposure_Table	claimnumber	
Claim Previous Group	Group to which a claim was previously assigned. Groups organize ClaimCenter users such that anyone within a group can handle any unassigned claim that is available within the group. Each group can consist of subgroups or individual ClaimCenter users.	Text	GW_Efc_Exposure_Table	claimpreviousgroup	
Claim Previous Group PublicID	Unique generated ID that isn't human-readable, for a group or user.	Text	GW_Efc_Exposure_Table	claimpreviousgrouppublicid	
Claim Previous Group Type	Code, such as Defense attorneys, Auto, Clean-up services, or Police, that identifies the function of the group to which a claim was previously assigned.	Text	GW_Efc_Exposure_Table	claimpreviousgrouptype	
Claim Previous User	First and last name of the ClaimCenter user to whom a claim was previously assigned.	Text	GW_Efc_Exposure_Table	claimprevioususer	

Explore for Claims Data Dictionary

Model: GW - Efc Exposure Inventory



Published on 10-July-2025
 ©2025 Guidewire Software, Inc. For information about Guidewire trademarks, visit <http://guidewire.com/legal-notice>.
 Guidewire Proprietary & Confidential – DO NOT DISTRIBUTE

Model column name	Description	Type	Source table name	Source column name	Formula
Claim Previous User PublicID	Unique generated ID that isn't human-readable, for a group or user.	Text	GW_Efc_Exposure_Table	claimprevioususerpublicid	
Claim Reopen Date	Date a claim was reopened; if a claim was reopened multiple times, this field has the most recent reopen date.	Date	GW_Efc_Exposure_Table	claimreopendate	
Claim Reopened Reason	Reason, such as Mistake, New information, or Payment Denied, that a claim was reopened.	Text	GW_Efc_Exposure_Table	claimreopenedreason	
Claim Reported Date	Date on which the loss was reported.	Date	GW_Efc_Exposure_Table	claimreporteddate	
Claim Segment	Code, such as Auto - glass, Injury - high complexity, or Workers' Comp - employer's liability, that indicates the segmentation type of a claim.	Text	GW_Efc_Exposure_Table	claimsegment	
Claim Source	Code, such as Auto First and Final or Ordinary, describing how a claim was entered into ClaimCenter. Auto First and Final is a base ClaimCenter value for handling simple auto claims, such as a cracked windshield, that requires only a single first and final payment.	Text	GW_Efc_Exposure_Table	claimsource	
Claim State	Code, such as Archived, Closed, Draft, or Open, indicating the internal state of a claim.	Text	GW_Efc_Exposure_Table	claimstate	
Claim Strategy	Code, such as Auto - Fast Track, Injury - Investigate, or Workers' Comp - Manage Loss, that indicates the strategy for a claim. Strategy is similar to segmentation, providing a second way to categorize claims.	Text	GW_Efc_Exposure_Table	claimstrategy	
Claim Tier	Code, such as Employer's Liability, Incident Only, or Medical Only, that indicates the tier of the claim. Tier is used to determine the limits to apply to a claim's metrics.	Text	GW_Efc_Exposure_Table	claiamtier	
Claimant Reported Date	For the workers' compensation line of business, the date when a claimant reported an incident to the insured (employer).	Date	GW_Efc_Exposure_Table	claimantreporteddate	
Coverage In Question	True if the coverage is in question.	Boolean	GW_Efc_Exposure_Table	coverageinquestion	
Coverage Sub Class	Code, such as Policy, PolicyCoverage, and PropertyCoverage, that represents a sub class of the coverage on an exposure.	Text	GW_Efc_Exposure_Table	coveragesubclass	
Coverage Sub Type	Code, such as Off Premises Property, Bobtail Liability - Property Damage, or Collision, indicating the coverage subtype for an exposure.	Text	GW_Efc_Exposure_Table	coveragesubtype	
Data Action Code	Operation for change data capture events, such as Bulk Load (Insert), Delete, Insert, and Update.	Text	Formula	Formula	if (opcode = 0) then 'Bulk Load (Insert)' else if (opcode = 1) then 'Delete' else if (opcode = 2) then 'Insert' else if (opcode = 4) then 'Update' else 'Unknown'
Date Reported to Insured	Date an insured person was notified about the claim.	Date	GW_Efc_Exposure_Table	datereportedtoinsured	
Exposure Assigned by User	First and last name of the ClaimCenter user who assigned an exposure.	Text	GW_Efc_Exposure_Table	exposureassignedbyuser	
Exposure Assigned by User Department	Department of the ClaimCenter user who assigned an exposure.	Text	GW_Efc_Exposure_Table	exposureassignedbyuserdepartm ent	
Exposure Assigned by User Experience Level	Experience level, namely Low, Mid, or High, of the ClaimCenter user who last assigned an exposure. ClaimCenter administrators can assign users an experience level and then apply assignment rules to assign exposures to appropriate users.	Text	GW_Efc_Exposure_Table	exposureassignedbyuserexperien celevel	
Exposure Assigned By User PublicID	Unique generated ID that isn't human-readable, for a group or user.	Text	GW_Efc_Exposure_Table	exposureassignedbyuserpublicid	
Exposure Assigned by User Vacation Status	Vacation status, namely At work, On vacation, or On vacation (inactive), of the ClaimCenter user who last assigned an exposure. ClaimCenter users can set their vacation status to redistribute assignments when they are not available.	Text	GW_Efc_Exposure_Table	exposureassignedbyuservacation status	
Exposure Assigned Group	Name of a group to which an exposure is assigned. Groups organize ClaimCenter users such that anyone within a group can handle any unassigned item that is available within the group. Each group can consist of subgroups or individual ClaimCenter users. For activities, see also: AssignedQueue.Name.	Text	GW_Efc_Exposure_Table	exposureassignedgroup	
Exposure Assigned Group PublicID	Unique generated ID that isn't human-readable, for a group or user.	Text	GW_Efc_Exposure_Table	exposureassignedgroup_publicid	
Exposure Assigned Group Type	Code, such as Defense attorneys, Auto, Clean-up services, or Police, that identifies the function of the group to which an exposure is assigned.	Text	GW_Efc_Exposure_Table	exposureassignedgroup_type	
Exposure Assigned User	First and last name of a ClaimCenter user to whom an item is assigned. This field is empty when the item is assigned to a queue.	Text	GW_Efc_Exposure_Table	exposureassigneduser	
Exposure Assigned User Department	The name, if any, of the assigned user's department for an exposure.	Text	GW_Efc_Exposure_Table	exposureassigneduserdepartmen t	
Exposure Assigned User Experience Level	Experience level, such as Low, Mid, or High, of the ClaimCenter user to whom an exposure is assigned. ClaimCenter administrators can assign users an experience level and then apply assignment rules to assign exposures to appropriate users.	Text	GW_Efc_Exposure_Table	exposureassigneduserexperiencl evel	
Exposure Assigned User ID	Unique ID of the user assigned to an exposure.	Number	GW_Efc_Exposure_Table	exposureassigneduserid	
Exposure Assigned User PublicID	Unique generated ID that isn't human-readable, for a group or user.	Text	GW_Efc_Exposure_Table	exposureassigneduserpublicid	
Exposure Assigned User Vacation Status	Vacation status, namely At work, On vacation, or On vacation (inactive), of the ClaimCenter user to whom an exposure is assigned. ClaimCenter users can set their vacation status to redistribute assignments when they are not available.	Text	GW_Efc_Exposure_Table	exposureassigneduservacationsta tus	
Exposure Assignment Date	Date and time when an exposure was last assigned.	Date	GW_Efc_Exposure_Table	exposureassignmentdate	
Exposure Assignment Status	Assignment status, such as Assigned, Manual, Pending assignment, or Unassigned, of an exposure.	Text	GW_Efc_Exposure_Table	exposureassignmentstatus	
Exposure Close Date	Date and time when an exposure was closed.	Date	GW_Efc_Exposure_Table	exposurecloseddate	
Exposure Closed Outcome	Outcome reached when closing an exposure, such as Completed, Duplicate, Fraud, Mistake, or Payments Complete.	Text	GW_Efc_Exposure_Table	exposureclosedoutcome	

Explore for Claims Data Dictionary

Model: GW - EfC Exposure Inventory



Published on 10-July-2025
 ©2025 Guidewire Software, Inc. For information about Guidewire trademarks, visit <http://guidewire.com/legal-notices>.
 Guidewire Proprietary & Confidential – DO NOT DISTRIBUTE

Model column name	Description	Type	Source table name	Source column name	Formula
Exposure Create Time	Timestamp indicating when an exposure was created. This is the Time Filter field for the selected index, used by the time picker to restrict search results to a selected or specified time period.	Date	GW_EfC_Exposure_Table	exposurecreatetime	
Exposure Create User Department	Department of a ClaimCenter user who created an exposure.	Text	GW_EfC_Exposure_Table	exposurecreateuserdepartment	
Exposure ID	Unique ID of an exposure	Number	GW_EfC_Exposure_Table	exposureid	
Exposure Jurisdiction State	Jurisdiction, such as Alaska, California, Western Australia, or District of Columbia, that covers a loss. Depending on regulations that apply to the line of business, this value might differ from the state in which the loss occurred.	Text	GW_EfC_Exposure_Table	exposurejurisdictionstate	
Exposure Limit Reached	True if an exposure's exposure limit has been exceeded.	Boolean	GW_EfC_Exposure_Table	exposurelimitreached	
Exposure Previous Group	Group to which an exposure was previously assigned. Groups organize ClaimCenter users such that anyone within a group can handle any unassigned exposure that is available within the group. Each group can consist of subgroups or individual ClaimCenter users.	Text	GW_EfC_Exposure_Table	exposurepreviousgroup	
Exposure Previous Group PublicID	Unique generated ID that isn't human-readable, for a group or user.	Text	GW_EfC_Exposure_Table	exposurepreviousgrouppublicid	
Exposure Previous Group Type	Code, such as Defense attorneys, Auto, Clean-up services, or Police, that identifies the function of the group to which a claim was previously assigned.	Text	GW_EfC_Exposure_Table	exposurepreviousgrouptype	
Exposure Previous User	First and last name of the ClaimCenter user to whom an exposure was previously assigned.	Text	GW_EfC_Exposure_Table	exposureprevioususer	
Exposure Previous User Experience Level	Experience level, such as Low, Mid, or High, of the ClaimCenter user who was previously assigned to a claim.	Text	GW_EfC_Exposure_Table	exposureprevioususerexperiencelevel	
Exposure Previous User PublicID	Unique generated ID that isn't human-readable, for a group or user.	Text	GW_EfC_Exposure_Table	exposureprevioususerpublicid	
Exposure Previous User Vacation Status	Vacation status, namely At work, On vacation, or On vacation (inactive), of the ClaimCenter user who was previously assigned to a claim.	Text	GW_EfC_Exposure_Table	exposureprevioususervacationstatus	
Exposure Reopen Date	Date an exposure was reopened; if an exposure was reopened multiple times, this field has the most recent reopen date.	Date	GW_EfC_Exposure_Table	exposurereopendate	
Exposure Reopened Reason	Reason, such as Mistake, New information, or Payment Denied, that an exposure was reopened.	Text	GW_EfC_Exposure_Table	exposurereopenedreason	
Exposure Retired	True if the exposure has been retired from active use in ClaimCenter.	Boolean	GW_EfC_Exposure_Table	exposureretired	
Exposure Segment	Code, such as Auto - glass, Injury - high complexity, or Workers' Comp - employer's liability, that indicates the segmentation type of an exposure.	Text	GW_EfC_Exposure_Table	exposuresegment	
Exposure State	Code, such as Archived, Closed, Draft, or Open, indicating the internal state of an exposure.	Text	GW_EfC_Exposure_Table	exposurystate	
Exposure State Type Code	Code, such as Archived, Closed, Draft, or Open, indicating the internal state of an exposure.	Text	GW_EfC_Exposure_Table	exposurestatetypecode	
Exposure Strategy	Code, such as Auto - Fast Track, Injury - Investigate, or Workers' Comp - Manage Loss, that indicates the strategy for an exposure. Strategy is similar to segmentation, providing a second way to categorize exposures.	Text	GW_EfC_Exposure_Table	exposurstrategy	
Exposure Tier	Code, such as Employer's Liability, Incident Only, or Medical Only, that indicates the tier of the exposure. Tier is used to determine the limits to apply to an exposure's metrics.	Text	GW_EfC_Exposure_Table	exposureretier	
Exposure Type	Code, such as Baggage, Dwelling, or Living Expenses, indicating the type of an exposure.	Text	GW_EfC_Exposure_Table	exposurertype	
Exposure Update Time	Timestamp when the exposure object was last updated	Date	GW_EfC_Exposure_Table	exposureupdatetime	
Fatality Claim	Has a value of TRUE if the claim has a high risk of type FatalityClaimIndicator.	Boolean	GW_EfC_Exposure_Table	fatalityclaim	
First Notice Suit	True if at least one lawsuit had been filed at the time of a first notice of loss.	Boolean	GW_EfC_Exposure_Table	firstnoticesuit	
Flagged Date	Date and time a claim was initially flagged in ClaimCenter, if the claim was flagged. When the flag is cleared, this date is set to null. It is set to a new date if a new reason for flagging the claim is found later.	Date	GW_EfC_Exposure_Table	flaggeddate	
Flagged Reason	Reason a claim is flagged. Free-form text entered in ClaimCenter.	Text	GW_EfC_Exposure_Table	flaggedreason	
Flagged Status	Status, such as Is flagged, Was flagged, or Never flagged, of the claim.	Text	GW_EfC_Exposure_Table	flaggedstatus	
How Reported	A code, such as Fax, Internet, Mail, Phone, or Walk-in, explaining how the loss was reported.	Text	GW_EfC_Exposure_Table	howreported	
ID	Unique ID of an exposure.	Number	GW_EfC_Exposure_Table	id	
Incident Report Only	True if a claim is an incident-only report. Payments are never expected to be made on an incident report for	Boolean	GW_EfC_Exposure_Table	incidentreportonly	
Large Loss Claim	Has a value of TRUE if the claim has a high risk of type LargeLossClaimIndicator.	Boolean	GW_EfC_Exposure_Table	largelossclaim	
Large Loss Notification Status	Status, such as None, InQueue, or Sent, of a large loss claim. Large loss notification threshold is configured in ClaimCenter per line of business (policy type).	Text	GW_EfC_Exposure_Table	largelossnotificationstatus	
Litigation Claim	Has a value of TRUE if the claim has a high risk of type LitigationClaimIndicator.	Boolean	GW_EfC_Exposure_Table	litigationclaim	
Litigation Status	Code, such as Closed, Litigation complete, or In appeal, that indicates the status of litigation on a claim.	Text	GW_EfC_Exposure_Table	litigationstatus	
LOB Code	Code, such as Businessowners Line, Homeowners Line, or Personal Auto Line, indicating the line of business of the policy with which a claim is associated.	Text	GW_EfC_Exposure_Table	lobcode	
Location of Theft	Code, such as Residential, Commercial, or Off Premises, indicating the location where property was stolen.	Text	GW_EfC_Exposure_Table	locationoftheft	
Loss Cause	Code, such as Abandonment, Death, or Fire, indicating the general cause of a loss, which is dependent on Loss Type.	Text	GW_EfC_Exposure_Table	losscause	
Loss Cause Name	Code, such as Abandonment, Death, or Fire, indicating the general cause of a loss, which is dependent on Loss Type.	Text	GW_EfC_Exposure_Table	losscause_name	
Loss Cause Type Code	Code, such as Abandonment, Death, or Fire, indicating the general cause of a loss, which is dependent on Loss Type.	Text	GW_EfC_Exposure_Table	losscause_typecode	
Loss Date	Date on which a loss or accident occurred.	Date	GW_EfC_Exposure_Table	lossdate	

Explore for Claims Data Dictionary
Model: GW - EfC Exposure Inventory



Published on 10-July-2025
© 2025 Guidewire Software, Inc. For information about Guidewire trademarks, visit <http://guidewire.com/legal-notices>.
Guidewire Proprietary & Confidential – DO NOT DISTRIBUTE

Model column name	Description	Type	Source table name	Source column name	Formula
Loss Location City	City in which a loss occurred.	Text	GW_EfC_Exposure_Table	losslocationcity	
Loss Location City/Country	City and Country in which a loss occurred.	Text	Formula	Formula	if (losslocationcity != null and losslocationcountry != null) then concat (losslocationcity , ' ' , losslocationcountry) else losslocationcity
Loss Location Country	Country or region in which a loss occurred. ClaimCenter base implementation defines 242 countries plus Unknown.	Text	GW_EfC_Exposure_Table	losslocationcountry	
Loss Location County	County in which a loss occurred.	Text	GW_EfC_Exposure_Table	losslocationcounty	
Loss Location State	State, such as Alaska, California, Western Australia, or District of Columbia, in which a loss occurred.	Text	GW_EfC_Exposure_Table	losslocationstate	
Loss Location Zip Code	Postal/ZIP code in which a loss occurred.	Text	GW_EfC_Exposure_Table	losslocationzipcode	
Loss Location Zip5	Loss location zipcode + 5 characters	Text	GW_EfC_Exposure_Table	losslocationzip5	
Loss Party	Code, namely Insured's loss or Third-party liability, indicating the loss party.	Text	GW_EfC_Exposure_Table	lossparty	
Loss Property Type	Code, such as Art/antique, Furs, Guns, or Tools, indicating the ISO category of property in a theft loss.	Text	GW_EfC_Exposure_Table	losspropertytype	
Loss Type	Code, such as Auto, Liability, Property, Travel, or Workers' Comp, indicating the broad type of loss.	Text	GW_EfC_Exposure_Table	losstype	
Other Recoverable Status	Status, such as Open, In review, or Closed, of other recoverables associated with a loss.	Text	GW_EfC_Exposure_Table	otherrecoverablestatus	
PCS Catastrophe Number	Property Claim Services (PCS®) catastrophe serial number, as imported from a ClaimCenter ISO integration. PCS assigns serial numbers to events within monitored locales that cause USD 25 million or more in direct insured losses to property affecting a significant number of policyholders and insurers.	Text	GW_EfC_Exposure_Table	pccscatastrophenum	
Policy Effective Date	Effective date of the policy related to the claim.	Number	GW_EfC_Exposure_Table	policeffectivedate	
Policy Number	Policy number on the claim.	Number	GW_EfC_Exposure_Table	policynumber	
Primary Coverage	Code, such as Bobtail Liability, Collision, Loan Lease Gap, or Medical Payments, indicating the Coverage Type of the coverage on an exposure.	Text	GW_EfC_Exposure_Table	primarycoverage	
Reinsurance Flagged Status	Reinsurance flagged status, such as System Flagged, System Unflagged, User Flagged, or User Unflagged, for a claim.	Text	GW_EfC_Exposure_Table	reinsuranceflaggedstatus	
Salvage Status	Salvage status, such as Open, In review, or Closed, for a claim.	Text	GW_EfC_Exposure_Table	salvagestatus	
Settlement Date	Date of settlement.	Date	GW_EfC_Exposure_Table	settlementdate	
Settlement Method	Code, such as CA compromise, Dismissal, Lump sum, or Stipulated award, indicating the method of settlement on an exposure.	Text	GW_EfC_Exposure_Table	settlementmethod	
SIU Escalation Date	Date on which the claim was escalated to the Special Investigation	Date	GW_EfC_Exposure_Table	siuescalationdate	
SIU Escalation Indicator	Code, one of Yes or No, indicating whether the claim is marked for	Text	GW_EfC_Exposure_Table	siuescalationindicator	
SIU Lifecycle	Code, such as Step 1, Step 2, or Step 3, indicating the current state of the Special Investigation Unit trigger rule processing for the claim.	Text	GW_EfC_Exposure_Table	siulifecycle	
SIU Status	Code, such as Under investigation, No referral, or Investigation closed, indicating the SIU status for a claim.	Text	GW_EfC_Exposure_Table	siustatus	
Spark Timestamp	SQL timestamp to millisecond precision	Date	GW_EfC_Exposure_Table	spark_timestamp	
Measures (A-Z)					
Closed Exposure Count	When the status of an exposure is 'closed', Closed Exposure Count equals 1. Aggregate this metric to get a total closed count.	Number	GW_EfC_Exposure_Table	closedexposurecount	
Exposure Assigned to Closed Days	Number of days or hours between the date and time an exposure was assigned and the date and time it was closed.	Number	GW_EfC_Exposure_Table	exposureassignedtocloseddays	
Exposure Assigned to Closed Hours	Number of days or hours between the date and time an exposure was assigned and the date and time it was closed.	Number	GW_EfC_Exposure_Table	exposureassignedtoclosedhours	
Exposure Assigned to First Contact Days	Number of days or hours between the date an exposure was assigned and the date that the claimant was first contacted.	Number	GW_EfC_Exposure_Table	exposureassignedtofirstcontactdays	
Exposure Assigned to First Contact Hours	Number of days or hours between the date an exposure was assigned and the date that the claimant was first contacted.	Number	GW_EfC_Exposure_Table	exposureassignedtofirstcontacthours	
Exposure Assigned to First Payment Days	Number of days between the date a claim was assigned and the date the first payment was made to claimants or for repairs.	Number	GW_EfC_Exposure_Table	exposureassignedtofirstpaymentdays	
Exposure Assigned to Last Payment Days	Number of days between the date a claim was assigned and the date the last payment was made to claimants or for repairs.	Number	GW_EfC_Exposure_Table	exposureassignedtolastpaymentdays	
Exposure Count	When an exposure is created, Exposure Count equals 1. Aggregate this metric to get a total claim/exposure count.	Number	GW_EfC_Exposure_Table	exposurecount	
Exposure Count with Escalated Activities	Has a value of 1 if an activity related to an exposure is escalated.	Number	GW_EfC_Exposure_Table	exposurecountwithescalatedactivities	
Exposure Count with Subro Recovery	Has a value of 1 if the recovery amount on an exposure was due to subrogation.	Number	GW_EfC_Exposure_Table	exposurecountwithsubrorecovery	
Exposure Created to Assigned Days	Number of days or hours between the date and time an exposure was created and the date and time it was assigned.	Number	GW_EfC_Exposure_Table	exposurecreatedtoassigneddays	
Exposure Created to Assigned Hours	Number of days or hours between the date and time an exposure was created and the date and time it was assigned.	Number	GW_EfC_Exposure_Table	exposurecreatedtoassignedhours	
Exposure Created to Closed Days	Number of days or hours between the date and time an exposure was created and the date and time it was closed.	Number	GW_EfC_Exposure_Table	exposurecreatedtocloseddays	
Exposure Created to Closed Hours	Number of days or hours between the date and time an exposure was created and the date and time it was closed.	Number	GW_EfC_Exposure_Table	exposurecreatedtoclosedhours	
Exposure Created to First Contact Days	Number of days or hours between the date an exposure was created and the date that the claimant was first contacted.	Number	GW_EfC_Exposure_Table	exposurecreatedtofirstcontactdays	
Exposure Created to First Contact Hours	Number of days or hours between the date an exposure was created and the date that the claimant was first contacted.	Number	GW_EfC_Exposure_Table	exposurecreatedtofirstcontacthours	
Exposure Created to First Payment Days	Number of days between the date a claim was created and the date the first payment was made to claimants or for repairs.	Number	GW_EfC_Exposure_Table	exposurecreatedtofirstpaymentdays	
Exposure Created to Last Payment Days	Number of days between the date a claim was created and the date the last payment was made to claimants or for repairs.	Number	GW_EfC_Exposure_Table	exposurecreatedtolastpaymentdays	

Explore for Claims Data Dictionary
Model: GW - EfC Exposure Inventory



Published on 10-July-2025
©2025 Guidewire Software, Inc. For information about Guidewire trademarks, visit <http://guidewire.com/legal-notice>.
Guidewire Proprietary & Confidential – DO NOT DISTRIBUTE

Model column name	Description	Type	Source table name	Source column name	Formula
Exposure Created to Settled Days	Number of days or hours between the date and time an exposure was created and the date and time it was settled.	Number	GW_EfC_Exposure_Table	exposurerecreatedtosettledays	
Exposure Created to Settled Hours	Number of days or hours between the date and time an exposure was created and the date and time it was settled.	Number	GW_EfC_Exposure_Table	exposurerecreatedtosettledhours	
Exposure Expense Paid	Amount spent on a claim for items such as overhead costs, legal costs, or unspecified costs. This amount does not reflect indemnity losses.	Number	GW_EfC_Exposure_Table	exposureexpensepaid	
Exposure Outstanding Reserves	Exposure Outstanding Reserves = Open Reserves – Open Recovery Reserves Open Reserves = Total Reserves – eroding payments made for the claim. Total Reserves = All approved reserves (money allocated to make payments for a claim) with no payments deducted. Open Recovery Reserves = Recovery Reserves - Recoveries Recovery reserves = Estimates of how much money might be recovered from others while settling the claim.	Number	GW_EfC_Exposure_Table	exposureoutstandingreserves	
Exposure Recoveries Paid	Total amount of money received to offset claim payments, such as from salvage, subrogation, and deductibles.	Number	GW_EfC_Exposure_Table	exposurerecoveriespaid	
Exposure Reopened to Closed Days	Number of days or hours between the date and time an exposure was reopened and the date and time it was closed.	Number	GW_EfC_Exposure_Table	exposurereopenedtocloseddays	
Exposure Reopened to Closed Hours	Number of days or hours between the date and time an exposure was reopened and the date and time it was closed.	Number	GW_EfC_Exposure_Table	exposurereopenedtoclosedhours	
Exposure Reported to Assigned Days	Number or days or hours between the date an exposure was reported and the date it was assigned.	Number	GW_EfC_Exposure_Table	exposurereportedtoassigneddays	
Exposure Reported to Assigned Hours	Number or days or hours between the date an exposure was reported and the date it was assigned.	Number	GW_EfC_Exposure_Table	exposurereportedtoassignedhours	
Exposure Reported to Closed Days	Number or days or hours between the date an exposure was reported and the date it was closed.	Number	GW_EfC_Exposure_Table	exposurereportedtocloseddays	
Exposure Reported to Closed Hours	Number or days or hours between the date an exposure was reported and the date it was closed.	Number	GW_EfC_Exposure_Table	exposurereportedtoclosedhours	
Exposure Settled to Closed Days	Number of days or hours between the date and time an exposure was settled and the date and time it was closed.	Number	GW_EfC_Exposure_Table	exposuresettledtocloseddays	
Exposure Settled to Closed Hours	Number of days or hours between the date and time an exposure was settled and the date and time it was closed.	Number	GW_EfC_Exposure_Table	exposuresettledtoclosedhours	
Exposure Total Incurred	Exposure Total Incurred = Open Reserves – Open Recovery Reserves + Total Payments – Total Recoveries Total Reserves = All approved reserves (money allocated to make payments for a exposure) with no payments deducted. Open Reserves = Total Reserves – eroding payments made for the exposure. Recovery reserves = Estimates of how much money might be recovered from others while settling the exposure. Open Recovery Reserves = Recovery Reserves - Recoveries Total Payments = sum of all submitted payments and payments awaiting submission with a scheduled send date either before or on the current date Total Recoveries = Sum of all submitted recoveries.	Number	GW_EfC_Exposure_Table	exposuretotalincurred	
Exposure Total Paid	Sum of all submitted payments and payments awaiting submission with a scheduled send date either on or before the current date.	Number	GW_EfC_Exposure_Table	exposuretotalpaid	
Opcode	Operation code for change data capture events. 0 - Bulk Load (Insert) 1 - Delete 2 - Insert 4 - Update	Number	GW_EfC_Exposure_Table	opcode	
Open Exposure Count	When the status of an exposure is 'open', Open Exposure Count equals 1. Aggregate this metric to get a total open count.	Number	GW_EfC_Exposure_Table	openexposurecount	
Outstanding Recovery Reserves	Open Recovery Reserves = Recovery Reserves - Recoveries Recovery reserves = Estimates of how much money might be recovered from others while settling the claim.	Number	GW_EfC_Exposure_Table	outstandingrecoveryreserves	
Policy Total Properties	Number of vehicles on the policy associated with an exposure.	Number	GW_EfC_Exposure_Table	policytotalproperties	
Policy Total Vehicles	Number of vehicles on the policy associated with an exposure or claim.	Number	GW_EfC_Exposure_Table	policytotalvehicles	
Reopened Exposure Count	If an exposure has a reopen date, Reopened Exposure Count equals 1. Aggregate this metric to get a reopened count.	Number	GW_EfC_Exposure_Table	reopenedexposurecount	
SIU Score	Number representing the Special Investigation Unit total score for the claim. This value typically is used in business rules to escalate claims to a supervisor.	Number	GW_EfC_Exposure_Table	siscore	
Time from Exposure Assigned Days	Number of days or hours between the date and time an exposure was last assigned and now.	Number	Formula	Formula	if (strlen (exposureassignmentstatus) > 0 and exposureassignmentstatus = 'assigned' and strlen (exposurestate) > 0 and exposurestate = 'open') then (if (isnull (exposureassignmentdate)) then null else diff days (now () , exposureassignmentdate)) else null

Explore for Claims Data Dictionary
Model: GW - EfC Exposure Inventory



Published on 10-July-2025
© 2025 Guidewire Software, Inc. For information about Guidewire trademarks, visit <http://guidewire.com/legal-notices>.
Guidewire Proprietary & Confidential -- DO NOT DISTRIBUTE

Model column name	Description	Type	Source table name	Source column name	Formula
Time from Exposure Assigned Hours	Number of days or hours between the date and time an exposure was last assigned and now.	Number	Formula	Formula	if (strlen (exposureassignmentstatus) > 0 and exposureassignmentstatus = 'assigned' and strlen (exposurestate) > 0 and exposurestate = 'open') then (if (isnull (exposureassignmentdate)) then null else diff_time (now () , exposureassignmentdate) / (60 * 60)) else null
Time from Exposure Created Days	Number of days or hours between the date and time an exposure was created and now.	Number	Formula	Formula	if (strlen (exposurestate) > 0 and exposurestate = 'open') then (if (isnull (exposurecreatetime)) then null else diff_days (now () , exposurecreatetime)) else null
Time from Exposure Created Hours	Number of days or hours between the date and time an exposure was created and now.	Number	Formula	Formula	if (strlen (exposurestate) > 0 and exposurestate = 'open') then (if (isnull (exposurecreatetime)) then null else to_integer (diff_time (now () , exposurecreatetime) / (60 * 60))) else null