

Explore for Policy Data Dictionary
Model: GW - EFP Submission Processing and Conversion



Published on 1-July-2025
© 2025 Guidewire Software, Inc. For information about Guidewire trademarks, visit <http://guidewire.com/legal-notices>.
Guidewire Proprietary & Confidential -- DO NOT DISTRIBUTE

Model column name	Description	Type	Source table name	Source column name	Formula
Attributes (A-Z)					
Account Business Operations	Description of the business and operations of the account that is associated with an activity or a policy.	Text	GW_EFP_Submission_Processing_Table	accountbusinessoperations	
Account Holder Name	First and last name of the contact listed on the account that is associated with an activity or a policy.	Text	GW_EFP_Submission_Processing_Table	accountholdername	
Account Holder State	State in which the contact listed on the account that is associated with an activity or a policy resides in.	Text	GW_EFP_Submission_Processing_Table	accountholderstate	
Account Holder State Name	State in which the contact listed on the account that is associated with an activity or a policy resides in.	Text	GW_EFP_Submission_Processing_Table	accountholderstate_name	
Account Number	Number of the account that is associated with an activity or policy.	Text	GW_EFP_Submission_Processing_Table	accountnumber	
Account Organization Type	Type of organization, such as <i>corporation</i> , <i>government</i> , <i>individual</i> , <i>llc</i> , and <i>nonprofit</i> , that represents the account that is associated with an activity or policy.	Text	GW_EFP_Submission_Processing_Table	accountorganizationtype	
Account Organization Type Name	Type of organization, such as <i>corporation</i> , <i>government</i> , <i>individual</i> , <i>llc</i> , and <i>nonprofit</i> , that represents the account that is associated with an activity or policy.	Text	GW_EFP_Submission_Processing_Table	accountorganizationtype_name	
Account Status	Status of the account that is associated with an activity or policy, such as: Active The account is fully ready and open, and a draft submission was started for the account, a bound policy was transferred to the account, or a cancelled policy was rewritten to the account. Merged The account has been merged into another account and is available for read-only access. Pending The account is ready for data entry or has data, but does not have any submissions yet, and the account is not considered fully open. Withdrawn The insurer has withdrawn the account from consideration for business.	Text	GW_EFP_Submission_Processing_Table	accountstatus	
Account Status Name	Status of the account that is associated with an activity or policy.	Text	GW_EFP_Submission_Processing_Table	accountstatus_name	
Bill Method	Method by which the insurer sends bills for a policy, such as: DirectBill Billing method in which the insurer bills the account directly and collects payment from the account. AgencyBill Billing method in which the producer bills the account and collects payment from the account. Then, the producer sends the payment to the insurer minus the commission. ListBill Billing method in which an account other than the policy holder's account is responsible for all payments for that policy.	Text	GW_EFP_Submission_Processing_Table	billmethod	
Bill Method Name	Method by which the insurer sends bills for a policy.	Text	GW_EFP_Submission_Processing_Table	billmethod_name	
Bind Type	Type of binding that was used in a submission or renewal policy transaction, namely: BindOnly Legally binds both the insurer and the applicant and generates billing information but does not issue the policy. BindAndIssue Binds the policy, generates billing information, and issues the policy.	Text	GW_EFP_Submission_Processing_Table	bindtype	
Bindtype Name	Type of binding that was used in a submission or renewal policy transaction.	Text	GW_EFP_Submission_Processing_Table	bindtype_name	
Bound Date Time	Date and time when a policy or its revision, which was created in a new submission or renewal transaction, was bound.	Date	GW_EFP_Submission_Processing_Table	bounddatetime	
Branch Name	Name of the branch, which is a snapshot of the policy as of the date that the policy or its revision was bound.	Text	GW_EFP_Submission_Processing_Table	branchname	
Branch Number	Number of the branch, which is a snapshot of the policy as of the date that the policy or its revision was bound.	Text	GW_EFP_Submission_Processing_Table	branchnumber	
Cancellation Date	Date and time when a policy was canceled.	Date	GW_EFP_Submission_Processing_Table	cancellationdate	
Custom Billing Flag	Flag that has a value of Y if Custom Billing Options are enabled to generate the payment invoices for a policy term. The Custom Billing Options button is available in the Payment screen of a policy transaction.	Text	GW_EFP_Submission_Processing_Table	custombillingflag	
Data Action Code	Operation for change data capture events, such as Bulk Load (Insert), Delete, Insert, and Update.	Text	Formula	Formula	if (opcode = 0) then 'Bulk Load (Insert)' else if (opcode = 1) then 'Delete' else if (opcode = 2) then 'Insert' else if (opcode = 4) then 'Update' else 'Unknown'
Date Quote Needed	Date by which a quote for a policy transaction is needed.	Date	GW_EFP_Submission_Processing_Table	datequoteneeded	

Explore for Policy Data Dictionary
Model: GW - EFP Submission Processing and Conversion



Published on 1-July-2025
© 2025 Guidewire Software, Inc. For information about Guidewire trademarks, visit <http://guidewire.com/legal-notice>.
Guidewire Proprietary & Confidential -- DO NOT DISTRIBUTE

Model column name	Description	Type	Source table name	Source column name	Formula
Days Range by Create Date	Has one of the following values: Less Than 24 Hours A policy for a specific term was created less than 24 hours ago. Less Than 7 Days A policy for a specific term was created less than 7 days ago. Less Than 30 Days A policy for a specific term was created less than 30 days ago. Over 30 Days A policy for a specific term was created more than 30 days ago.	Text	Formula	Formula	if (not (isnull (submissioncreatedatetime) and add_minutes (submissioncreatedatetime , (24 * 60)) > now ())) then 'less than 24 hours' else (if (not (isnull (submissioncreatedatetime) and add_days (submissioncreatedatetime , 7) > now ())) then 'less than 7 days' else (if (not (isnull (submissioncreatedatetime) and add_days (submissioncreatedatetime , 30) > now ())) then 'less than 30 days' else 'over 30 days')))
Draft Date Time	Date and time when a policy was first created in a new submission or renewal transaction.	Date	GW_EFP_Submission_Processing_Table	draftdatetime	
Edit Effective Date	Date and time when a change that a transaction makes to a policy, such as adding a new vehicle, becomes effective.	Date	GW_EFP_Submission_Processing_Table	editeffectivedate	
ID	Unique ID of an activity, submission, or UWIssue.	Number	GW_EFP_Submission_Processing_Table	id	
Issued Date Time	Date and time when the latest revision of a policy, which was created in a new submission or renewal transaction was issued using the bind type of BindAndIssue, or in an issuance transaction, was issued.	Date	GW_EFP_Submission_Processing_Table	issueddatetime	
Job ID	Unique number of a policy transaction.	Number	GW_EFP_Submission_Processing_Table	jobid	
Job Type	Type of a policy transaction such as <i>Audit, Submission, Cancellation, Job, PolicyChange, Reinstatement, Renewal, Rewrite, RewriteNewAccount, and Issuance</i> .	Text	GW_EFP_Submission_Processing_Table	jobtype	
Jobtype Name	Type of a policy transaction such as <i>Audit, Submission, Cancellation, Job, PolicyChange, Reinstatement, Renewal, Rewrite, RewriteNewAccount, and Issuance</i> .	Text	GW_EFP_Submission_Processing_Table	jobtype_name	
Last Quoted Date Time	Date and time when a policy that was created in a new submission or renewal transaction was last quoted.	Date	GW_EFP_Submission_Processing_Table	lastquoteddatetime	
Line of Business	Product code, such as Personal Auto, that defines the type of the policy that is associated with an activity.	Text	GW_EFP_Submission_Processing_Table	lineofbusiness	
Market Segment	Segment of the market in which a policy is based, such as: high Indicates a high hazard market segment. med Indicates a medium hazard market segment. low Indicates a low hazard market segment.	Text	GW_EFP_Submission_Processing_Table	marketsegment	
Market Segment Name	Segment of the market in which a policy is based.	Text	GW_EFP_Submission_Processing_Table	marketsegment_name	
Min Quoted Date Time	Date and time when a policy that was created in a new submission or renewal transaction was first quoted.	Date	GW_EFP_Submission_Processing_Table	minquoteddatetime	
Model Date	Date and time when a policy or its revision was bound.	Date	GW_EFP_Submission_Processing_Table	modeldate	
Model Number	Number, starting at 1, that is incremented for each bound revision of a policy.	Number	GW_EFP_Submission_Processing_Table	modelnumber	
New Business Flag	Flag that has a value of Y for a new submission or issuance policy transaction.	Text	GW_EFP_Submission_Processing_Table	newbusinessflag	
Organization Business Type			GW_EFP_Submission_Processing_Table	organizationbusinesstype	
Organization Business Type Name			GW_EFP_Submission_Processing_Table	organizationbusinesstype_name	
Organization Name	Organization that the producer who created a policy for a specific term belongs to.	Text	GW_EFP_Submission_Processing_Table	organizationname	
Pay Plan Name			GW_EFP_Submission_Processing_Table	payplanname	
Period End Date	Date and time when the policy term ends.	Date	GW_EFP_Submission_Processing_Table	periodenddate	
Period ID	Unique number for a policy term.	Number	GW_EFP_Submission_Processing_Table	periodid	
Period Start Date	Date and time when a policy term starts.	Date	GW_EFP_Submission_Processing_Table	periodstartdate	
Policy Issue Date	Date and time when a policy was first issued.	Date	GW_EFP_Submission_Processing_Table	policyissuedate	
Policy Number	Unique number for a bound policy term.	Number	GW_EFP_Submission_Processing_Table	polycynumber	
Policy Original Effective Date	Date and time when a policy first became effective.	Date	GW_EFP_Submission_Processing_Table	policyoriginaleeffectivedate	
Policy Period Status	Status, such as <i>Bound, Audit, Draft, Expired, Quoted, NotTaken, or Renewing</i> , of a policy for a specific term.	Text	GW_EFP_Submission_Processing_Table	policyperiodstatus	
Policy Period Status Name	Status, such as <i>Bound, Audit, Draft, Expired, Quoted, NotTaken, or Renewing</i> , of a policy for a specific term.	Text	GW_EFP_Submission_Processing_Table	policyperiodstatus_name	
Policy Term Code	Time period, such as <i>Annual, HalfYear, or Other</i> , that indicates the length of a policy term.	Text	GW_EFP_Submission_Processing_Table	policytermcode	
Policy Term Code Name	Time period, such as <i>Annual, HalfYear, or Other</i> , that indicates the length of a policy term.	Text	GW_EFP_Submission_Processing_Table	policytermcode_name	
Primary Insured Name	First and last name of the primary person who is insured for a policy's term.	Text	GW_EFP_Submission_Processing_Table	primaryinsuredname	

Explore for Policy Data Dictionary
Model: GW - EFP Submission Processing and Conversion



Published on 1-July-2025
© 2025 Guidewire Software, Inc. For information about Guidewire trademarks, visit <http://guidewire.com/legal-notice>.
Guidewire Proprietary & Confidential -- DO NOT DISTRIBUTE

Model column name	Description	Type	Source table name	Source column name	Formula
Primary State	Jurisdiction in which a policy term is based.	Text	GW_EFP_Submission_Processing_Table	primarystate	
Primary State Name	Jurisdiction in which a policy term is based.	Text	GW_EFP_Submission_Processing_Table	primarystate_name	
Producer Code	Code of the producer who receives the commissions for a policy.	Number	GW_EFP_Submission_Processing_Table	producercode	
Producer Name	Description of the producer who receives the commissions for a policy. (The <i>Description</i> field in PolicyCenter.)	Text	GW_EFP_Submission_Processing_Table	producername	
Product Line	Code that indicates the line of business that a policy is associated with, such as: P Indicates PersonalAuto, InlandMarine, Homeowners, and PersonalUmbrella lines of business C Indicates BusinessAuto, BusinessOwners, CommercialProperty, GeneralLiability, WorkersComp, CommercialPackage, CommercialProperty, and Crime lines of business. U Indicates other lines of business.	Text	GW_EFP_Submission_Processing_Table	productline	
Quote Type	Type, such as Quick Quote or Full Application, of a quote.	Text	GW_EFP_Submission_Processing_Table	quotetype	
Quote Type Name	Type, such as Quick Quote or Full Application, of a quote.	Text	GW_EFP_Submission_Processing_Table	quotetype_name	
Rate as of Date	Date and time when a policy was last rated.	Date	GW_EFP_Submission_Processing_Table	rateasofdate	
Reject Reason	Reason, such as <i>criminal</i> , <i>fraud</i> , or <i>nonpayment</i> , due to which a policy submission was rejected.	Text	GW_EFP_Submission_Processing_Table	rejectreason	
Reject Reason Detail	Description of the reason due to which a policy submission was rejected.	Text	GW_EFP_Submission_Processing_Table	rejectreasondetail	
Reject Reason Name	Reason, such as <i>criminal</i> , <i>fraud</i> , or <i>nonpayment</i> , due to which a policy submission was rejected.	Text	GW_EFP_Submission_Processing_Table	rejectreason_name	
Submission Active Flag	Flag that has a value of Y if a submission or renewal policy transaction is in one of the following states: Binding, Draft, New, Quoted, Quoting, Temporary.	Text	GW_EFP_Submission_Processing_Table	submissionactiveflag	
Submission Create Date Time	Date and time when a transaction for a new or existing policy was created.	Date	GW_EFP_Submission_Processing_Table	submissioncreatedatetime	
Submission Created User Actual Name	First and last name of the user who created a policy transaction.	Text	GW_EFP_Submission_Processing_Table	submissioncreateduseractualname	
Submission Created User Name	Login name of the user who created a policy transaction.	Text	GW_EFP_Submission_Processing_Table	submissioncreatedusername	
Submission Created User Type	Type of the user, such as <i>assistant</i> , <i>auditor</i> , <i>producer</i> , or <i>underwriter</i> , who created a policy transaction.	Text	GW_EFP_Submission_Processing_Table	submissioncreatedusertype	
Submission Created User Type Name	Type of the user, such as <i>assistant</i> , <i>auditor</i> , <i>producer</i> , or <i>underwriter</i> , who created a policy transaction.	Text	GW_EFP_Submission_Processing_Table	submissioncreatedusertype_name	
Submission Date	Date and time on which a policy submission was created.	Date	GW_EFP_Submission_Processing_Table	submissiondate	
Submission Declined Date Time	Date and time when a new submission or renewal transaction was declined by an underwriter before the policy was bound.	Date	GW_EFP_Submission_Processing_Table	submissiondeclineddatetime	
Submission Due Status	Status of a submission that is based on the submission's target date	Text	Formula	Formula	if (not (isnull (periodstartdate) and periodstartdate < now ())) then 'overdue' else (if (not (isnull (periodstartdate) and periodstartdate < add_days (now () , 7))) then 'due next 7 days' else (if (not (isnull (periodstartdate) and periodstartdate < add_days (now () , 60))) then 'due next 60 days' else 'due later')))
Submission Not Taken Date Time	Date and time when a new submission or renewal transaction was not taken before the policy was bound because the applicant decided to not accept the offered policy.	Date	GW_EFP_Submission_Processing_Table	submissionnottakendatetime	
Submission Number	Unique identifier of a policy transaction.	Number	GW_EFP_Submission_Processing_Table	submissionnumber	
Submission Straight Through Processing Flag	Flag that has a value of Y if a policy transaction was processed straight-through, without any intervention from an external user, such as an underwriter. Otherwise, has a value of N.	Boolean	GW_EFP_Submission_Processing_Table	submissionstraightthroughprocessingflag	
Submission Update Date Time	Date and time when a policy or its latest revision was last updated.	Date	GW_EFP_Submission_Processing_Table	submissionupdatedatetime	
Submission Withdrawn Date Time	Date and time when a new submission or renewal transaction was withdrawn for some reason, such as a mistake on the policy, before the policy was bound.	Date	GW_EFP_Submission_Processing_Table	submissionwithdrawndatetime	
Term Number	Number, starting at 1, that is incremented for each renewal and rewrite of a policy across different policy terms.	Number	GW_EFP_Submission_Processing_Table	termnumber	
Underwriter Actual Name	First and last name of the underwriter who is assigned to a submission or renewal policy transaction.	Text	GW_EFP_Submission_Processing_Table	underwriteractualname	
Underwriter User Name	Login name of the underwriter who is assigned to a submission or renewal policy transaction.	Text	GW_EFP_Submission_Processing_Table	underwriterusername	
Underwriting Company Code	Code, such as 1111_22134, of the underwriting company that insures a policy.	Number	GW_EFP_Submission_Processing_Table	underwritingcompanycode	

Explore for Policy Data Dictionary

Model: GW - EFP Submission Processing and Conversion



Published on 1-July-2025

© 2025 Guidewire Software, Inc. For information about Guidewire trademarks, visit <http://guidewire.com/legal-notice>.
Guidewire Proprietary & Confidential -- DO NOT DISTRIBUTE

Model column name	Description	Type	Source table name	Source column name	Formula
Underwriting Company Code Name	Code, such as 1111_22134, of the underwriting company that insures a policy.	Number	GW_EFP_Submission_Processing_Table	underwritingcompanycode_name	
Underwriting Company Name	Name of the underwriting company that processed a policy.	Text	GW_EFP_Submission_Processing_Table	underwritingcompanyname	
Valid Quote Flag	Flag that has a value of Y if a policy for a specific contractual period was successfully quoted after all steps in the quoting process, such as validation, pricing, forms inference, underwriting issue check and reinsurance, have been completed.	Text	GW_EFP_Submission_Processing_Table	validquoteflag	
Written Date	For a new policy, the date and time when the policy was created. For a rewritten policy, the date and time when the original policy was rewritten. For a reinstated policy, the date and time when the policy was reinstated.	Date	GW_EFP_Submission_Processing_Table	writtendate	
Measures (A-Z)					
Active Average Quoted Premium Amount	Average of the sum of all premiums, not including taxes or other costs, across all the quotes in the latest revision of a new submission or renewal policy transaction that was not bound or issued.	Number	GW_EFP_Submission_Processing_Table	activeaveragequotedpremiumamount	
Active Bound Premium Amount	Sum of all premiums, not including taxes or other costs, in the latest revision of a new submission or renewal policy transaction that was bound but not issued.	Number	GW_EFP_Submission_Processing_Table	activeboundpremiumamount	
Active Max Quoted Premium Amount	Maximum of the sum of all premiums, not including taxes or other costs, across all the quotes in the latest revision of a new submission or renewal policy transaction that was not bound or issued.	Number	GW_EFP_Submission_Processing_Table	activemaxquotedpremiumamount	
Active Min Quoted Premium Amount	Minimum of the sum of all premiums, not including taxes or other costs, across all the quotes in the latest revision of a new submission or renewal policy transaction that was not bound or issued.	Number	GW_EFP_Submission_Processing_Table	activeminquotedpremiumamount	
Active Quote Count	Has a value of 1 if a policy that was created in a new submission or renewal transaction was quoted but not bound or issued. Otherwise, has a value of 0.	Number	GW_EFP_Submission_Processing_Table	activequotecount	
Active Submission Count	Has a value of 1 if a policy that was created in a new submission or renewal transaction was quoted but not bound or issued, or is still being edited. Otherwise, has a value of 0.	Number	GW_EFP_Submission_Processing_Table	activesubmissioncount	
Average Quoted Premium Amount	Average of the sum of all premiums, not including taxes or other costs, across all the quotes in the latest revision of a new submission or renewal policy transaction.	Number	GW_EFP_Submission_Processing_Table	averagequotedpremiumamount	
Bound Count	Has a value of 1 if a policy that was created in a new submission or a renewal transaction was bound. Otherwise, has a value of 0.	Number	GW_EFP_Submission_Processing_Table	boundcount	
Bound Premium Amount	Sum of the all premiums, not including taxes or other costs, for a policy that resulted from a new submission or renewal transaction that was bound.	Number	GW_EFP_Submission_Processing_Table	boundpremiumamount	
Bound to Issued Rate	Has a value of 1 if a policy was issued. Has a value of 0 if the policy was bound but not issued.	Number	GW_EFP_Submission_Processing_Table	boundtoissuedrate	
Branch ID	ID of the branch, which is a snapshot of the policy as of the date that the policy or its revision was bound.	Number	GW_EFP_Submission_Processing_Table	branchid	
Days Bound to Issued	If a policy was issued, then the number of days from the time the policy was bound to the time the policy was issued. If the policy was bound but not issued, then has a value of 0.	Number	GW_EFP_Submission_Processing_Table	daysboundtoissued	
Days Draft to Bound	If a policy was bound or issued, then the number of days from the time the policy was first created to the time the policy was bound.	Number	GW_EFP_Submission_Processing_Table	daysdrafttobound	
Days Draft to Issued	If a policy was issued, then the number of days from the time the policy was first created to the time the policy was issued.	Number	GW_EFP_Submission_Processing_Table	daysdrafttoissued	
Days Draft to Quote	If a policy was quoted, bound, or issued, then the number of days from the time the policy was first created to the time the policy was first quoted.	Number	GW_EFP_Submission_Processing_Table	daysdrafttoquote	
Days in State	If a submission or renewal policy transaction is currently in the Draft or Quoted state, then the number of days that have elapsed since the transaction changed to the Draft or Quoted state.	Number	Formula	Formula	if (strlen (policyperiodstatus) > 0 and policyperiodstatus = 'draft' and not (isnull (draftdatetime))) then diff_days (now () , draftdatetime) else (if (strlen (policyperiodstatus) > 0 and policyperiodstatus = 'quoted' and not (isnull (lastquoteddatetime))) then diff_days (now () , lastquoteddatetime) else null)
Days Quote to Bound	If a policy was bound or issued, then the number of days from the time the policy was first quoted to the time the policy was bound. If the policy was quoted but not bound or issued, then has a value of 0.	Number	GW_EFP_Submission_Processing_Table	daysquotetobound	
Days Quote to Issued	If a policy was issued, then the number of days from the time the policy was first quoted to the time the policy was issued. If the policy was quoted or bound but not issued, then has a value of 0.	Number	GW_EFP_Submission_Processing_Table	daysquotetoissued	
Days Since Submission Created	Number of days since a submission was created.	Number	Formula	Formula	if (isnull (submissioncreateddatetime)) then null else diff_days (now () , submissioncreateddatetime)
Days Since Submission Updated	Number of days since a submission was updated.	Number	Formula	Formula	if (isnull (submissionupdateddatetime)) then null else diff_days (now () , submissionupdateddatetime)

Explore for Policy Data Dictionary
Model: GW - EFP Submission Processing and Conversion



Published on 1-July-2025
© 2025 Guidewire Software, Inc. For information about Guidewire trademarks, visit <http://guidewire.com/legal-notices>.
Guidewire Proprietary & Confidential -- DO NOT DISTRIBUTE

Model column name	Description	Type	Source table name	Source column name	Formula
Declined Count	Has a value of 1 if a new submission or renewal transaction was declined by an underwriter before the policy was bound. Otherwise, has a value of 0.	Number	GW_EFP_Submission_Processing_Table	declinedcount	
Deposit Amount	For a line of business that is subject to reporting, such as workers' compensation, the amount of deposit that is required for a policy term. This amount is calculated from the deposit percentage and the total cost.	Number	GW_EFP_Submission_Processing_Table	depositamount	
Deposit Override Percent	For a line of business that is subject to reporting, such as workers' compensation, the percentage that overrides the default deposit percentage of the reporting plan for a policy term.	Number	GW_EFP_Submission_Processing_Table	depositoverridepercent	
Draft to Bound Rate	Has a value of 1 if a policy was bound or issued. Otherwise, has a value of 0.	Number	GW_EFP_Submission_Processing_Table	drafttoboundrate	
Draft to Issued Rate	Has a value of 1 if a policy was issued. Otherwise, has a value of 0.	Number	GW_EFP_Submission_Processing_Table	drafttoissuedrate	
Draft to Quoted Rate	Has a value of 1 if a policy was quoted, bound, or issued. Otherwise, has a value of 0.	Number	GW_EFP_Submission_Processing_Table	drafttoquotedrate	
Estimated Premium Amount	For commercial lines of business, such as commercial property, the estimated premium amount for a policy term. For a new submission, you enter this estimate before quoting the policy. For renewals or rewrites, this value is populated from the previous policy term.	Number	GW_EFP_Submission_Processing_Table	estimatedpremiumamount	
Hours Bound to Issued	If a policy was issued, then the number of hours from the time the policy was bound to the time the policy was issued. If the policy was bound but not	Number	GW_EFP_Submission_Processing_Table	hoursboundtoissued	
Hours Draft to Bound	If a policy was bound or issued, then the number of hours from the time the policy was first created to the time the policy was bound.	Number	GW_EFP_Submission_Processing_Table	hoursdrafttobound	
Hours Draft to Issued	If a policy was issued, then the number of hours from the time the policy was first created to the time the policy was issued.	Number	GW_EFP_Submission_Processing_Table	hoursdrafttoissued	
Hours Draft to Quote	If a policy was quoted, bound, or issued, then the number of hours from the time the policy was first created to the time the policy was first quoted.	Number	GW_EFP_Submission_Processing_Table	hoursdrafttoquote	
Hours in State	If a submission or renewal policy transaction is currently in the Draft or Quoted state, then the number of hours that have elapsed since the transaction changed to the Draft or Quoted state.	Number	Formula	Formula	if (strlen (policyperiodstatus) > 0 and policyperiodstatus = 'draft' and not (isnull (draftdatetime)) then diff_time (now () , draftdatetime) / (60 * 60) else (if (strlen (policyperiodstatus) > 0 and policyperiodstatus = 'quoted' and not (isnull (lastquoteddatetime)) then diff_time (now () , lastquoteddatetime) / (60 * 60) else null)
Hours Quote to Bound	If a policy was bound or issued, then the number of hours from the time the policy was first quoted to the time the policy was bound. If the policy was quoted but not bound or issued, then has a value of 0.	Number	GW_EFP_Submission_Processing_Table	hoursquotetobound	
Hours Quote to Issued	If a policy was issued, then the number of hours from the time the policy was first quoted to the time the policy was issued. If the policy was quoted or bound but not issued, then has a value of 0.	Number	GW_EFP_Submission_Processing_Table	hoursquotetoissued	
Hours Since Submission Created	Number of hours since a submission was created.	Number	Formula	Formula	if (isnull (submissioncreatedatetime)) then null else diff_time (now () , submissioncreatedatetime) / (60 * 60)
Hours Since Submission Updated	Number of hours since a submission was updated.	Number	Formula	Formula	if (isnull (submissionupdatedatetime)) then null else diff_days (now () , submissionupdatedatetime)
Issued Count	Has a value of 1 if a policy was issued in a new submission or renewal transaction with a bind type of BindAndIssue, or in an issuance transaction. Otherwise, has a value of 0.	Number	GW_EFP_Submission_Processing_Table	issuedcount	
Issued Premium Amount	Sum of the all premiums, not including taxes or other costs, for a policy that was issued either from an issuance transaction, or from a submission or renewal transaction with a bind type of BindAndIssue.	Number	GW_EFP_Submission_Processing_Table	issuedpremiumamount	
Max Quoted Premium Amount	Maximum of the sum of all premiums, not including taxes or other costs, across all the quotes in the latest revision of a new submission or renewal policy transaction.	Number	GW_EFP_Submission_Processing_Table	maxquotedpremiumamount	
Min Quoted Premium Amount	Minimum of the sum of all premiums, not including taxes or other costs, across all the quotes in the latest revision of a new submission or renewal policy transaction.	Number	GW_EFP_Submission_Processing_Table	minquotedpremiumamount	

Explore for Policy Data Dictionary
Model: GW - EFP Submission Processing and Conversion



Published on 1-July-2025
© 2025 Guidewire Software, Inc. For information about Guidewire trademarks, visit <http://guidewire.com/legal-notice>.
Guidewire Proprietary & Confidential -- DO NOT DISTRIBUTE

Model column name	Description	Type	Source table name	Source column name	Formula
Minutes in State	If a submission or renewal policy transaction is currently in the Draft or Quoted state, then the number of minutes that have elapsed since the transaction changed to the Draft or Quoted state.	Number	Formula	Formula	if (strlen (policyperiodstatus) > 0 and policyperiodstatus = 'draft' and not (isnull (draftdatetime))) then diff_time (now () , draftdatetime) / (60) else (if (strlen (policyperiodstatus) > 0 and policyperiodstatus = 'quoted' and not (isnull (lastquoteddatetime))) then diff_time (now () , lastquoteddatetime) / (60) else null)
Not Taken Count	Has a value of 1 if a new submission or renewal transaction was closed before the policy was bound because the applicant decided to not accept the offered policy.	Number	GW_EFP_Submission_Processing_Table	nottakencount	
Opcode	Operation code for change data capture events. 0 - Bulk Load (Insert) 1 - Delete 2 - Insert 4 - Update	Number	GW_EFP_Submission_Processing_Table	opcode	
Quote Count	Has a value of 1 if a policy was quoted. Otherwise, has a value of 0.	Number	GW_EFP_Submission_Processing_Table	quotecount	
Quote to Bound Rate	Has a value of 1 if a policy was bound or issued. Has a value of 0 if the policy was quoted but not bound or issued.	Number	GW_EFP_Submission_Processing_Table	quotetoboundrate	
Quote to Issued Rate	Has a value of 1 if a policy was issued. Has a value of 0 if the policy was quoted or bound but not issued.	Number	GW_EFP_Submission_Processing_Table	quotetoissuedrate	
Seconds Bound to Issued	If a policy was issued, then the number of seconds from the time the policy was bound to the time the policy was issued. If the policy was bound but not issued, then has a value of 0.	Number	GW_EFP_Submission_Processing_Table	secondsboundtoissued	
Seconds Draft to Bound	If a policy was issued, then the number of hours from the time the policy was first created to the time the policy was issued.	Number	GW_EFP_Submission_Processing_Table	secondsdrafttobound	
Seconds Draft to Issued	If a policy was bound or issued, then the number of seconds from the time the policy was first created to the time the policy was bound.	Number	GW_EFP_Submission_Processing_Table	secondsdrafttoissued	
Seconds Draft to Quote	If a policy was quoted, bound, or issued, then the number of seconds from the time the policy was first created to the time the policy was first quoted.	Number	GW_EFP_Submission_Processing_Table	secondsdrafttoquote	
Seconds Quote to Bound	If a policy was bound or issued, then the number of seconds from the time the policy was first quoted to the time the policy was bound. If the policy was quoted but not bound or issued, then has a value of 0.	Number	GW_EFP_Submission_Processing_Table	secondsquotetobound	
Seconds Quote to Issued	If a policy was issued, then the number of seconds from the time the policy was first quoted to the time the policy was issued. If the policy was quoted or bound but not issued, then has a value of 0.	Number	GW_EFP_Submission_Processing_Table	secondsquotetoissued	
Submission Count	Has a value of 1 to indicate that a policy transaction was initiated in PolicyCenter.	Number	GW_EFP_Submission_Processing_Table	submissioncount	
Total Cost Amount	Sum of all premiums, taxes, and any other costs for a term of a policy.	Number	GW_EFP_Submission_Processing_Table	totalcostamount	
Total Premium Amount	Sum of all premiums for a term of a policy. This amount does not include taxes and other costs.	Number	GW_EFP_Submission_Processing_Table	totalpremiumamount	
Total Quoted Count	Total number of quotes for a policy.	Number	GW_EFP_Submission_Processing_Table	totalquotedcount	
Transaction Cost Amount	Total change in premiums, taxes, and any other costs that is caused by a policy transaction. For a transaction that creates a new policy term, such as submission, renewal, or rewrite, the TransactionCostAmount is equal to the TransactionPremiumAmount. For mid-term transactions, such as cancellation or policy change, the TransactionCostAmount represents the change in the premiums, taxes and other costs since the previous transaction.	Number	GW_EFP_Submission_Processing_Table	transactioncostamount	
Transaction Premium Amount	Total amount of all premiums, not including taxes or other costs, for a term of a policy.	Number	GW_EFP_Submission_Processing_Table	transactionpremiumamount	
Version Count	Number of bound revisions of a policy.	Number	GW_EFP_Submission_Processing_Table	versioncount	
Withdrawn Count	Number that has a value of 1 if a submission or renewal transaction was withdrawn; otherwise, has a value of 0.	Number	GW_EFP_Submission_Processing_Table	withdrawncount	