

## Explore - Predict Business Impact Monitoring Data Dictionary

### Model: BIM Submission Model Results



Published on 03-September-2025  
 ©2025 Guidewire Software, Inc. For information about Guidewire trademarks, visit <http://guidewire.com/legal-notices>.  
 Guidewire Proprietary & Confidential -- DO NOT DISTRIBUTE

Model column name	Description	Type	Source table name	Source column name	Formula
<b>Attributes (A-Z)</b>					
<b>Account Holder Name</b>	First and last name of the contact listed on the account that is associated with a policy.	Text	bim_submission_prioritization	accountholdername	
<b>Account Holder State</b>	State in which the contact listed on the account that is associated with a policy resides in.	Text	bim_submission_prioritization	accountholderstate	
<b>Assessment Public ID</b>	ID or primary key of the row to which the assessment is mapped.	Text	bim_submission_prioritization	publicid	
<b>Bound Date</b>	Date and time when a policy or its revision, which was created in a new submission or renewal transaction, was bound.	Date	bim_submission_prioritization	bounddatetime	
<b>Branch Name</b>	Name of the branch, which is a snapshot of the policy as of the date that the policy or its revision was bound.	Text	bim_submission_prioritization	branchname	
<b>BranchID</b>	Number of the branch, which is a snapshot of the policy as of the date that the policy or its revision was bound.	Number	bim_submission_prioritization	branchid	
<b>Cancellation Date</b>	Date and time when a policy was canceled.	Date	bim_submission_prioritization	cancellationdate	
<b>Category</b>	The categorization of the score. For example, a fraud system may use: low_risk, medium_risk, high_risk. A total loss evaluation system may use: repairable, total_loss.	Text	bim_submission_prioritization	category	
<b>Conclusion Description</b>	The human-readable assessment conclusion.	Text	bim_submission_prioritization	conclusiondescription	
<b>Create Date</b>	Timestamp when the assessment was created.	Date	bim_submission_prioritization	createtime	
<b>Edit Effective Date</b>	Date and time when a change that a transaction makes to a policy, such as adding a new vehicle, becomes effective.	Date	bim_submission_prioritization	editeffectivedate	
<b>ID</b>	Unique ID of a submission.	Number	bim_submission_prioritization	id	
<b>Issued Date</b>	Date and time when the latest revision of a policy, which was created in a new submission or renewal transaction was issued using the bind type of BindAndIssue, or in an issuance transaction, was issued.	Date	bim_submission_prioritization	issueddatetime	
<b>Job ID</b>	Unique number of a policy transaction.	Number	bim_submission_prioritization	jobid	
<b>Line of Business</b>	Product code, such as Personal Auto, that defines the type of the policy that is associated with an activity.	Text	bim_submission_prioritization	lineofbusiness	
<b>Market Segment</b>	Segment of the market in which a policy is based, such as: <b>high</b> Indicates a high hazard market segment. <b>med</b> Indicates a medium hazard market segment. <b>low</b> Indicates a low hazard market segment.	Text	bim_submission_prioritization	marketsegment	
<b>Model Conclusion</b>	The human-readable assessment conclusion. If there's no conclusion, the value is N/A.	Text	Formula	Formula	expr: 'If ( [bim_submission_prioritization:: conclusiondescription] = null ) then "N/A" else [bim_submission_prioritization:: conclusiondescription]'
<b>Model Date</b>	Not related to the Predict model. On promotion of a branch (a snapshot of the policy), the model date is set to the current real world date and time.	Date	bim_submission_prioritization	modeldate	
<b>Model Name</b>	Name of the Predict model.	Text	bim_submission_prioritization	tapsubtypeid	
<b>Model Number</b>	Not related to the Predict model. On promotion, a branch (a snapshot of the policy) is assigned a new model number, one greater than the previously most recently promoted branch on its period.	Number	bim_submission_prioritization	modelnumber	
<b>New Business Flag</b>	Flag that has a value of Y for a new submission or issuance policy transaction.	Text	bim_submission_prioritization	newbusinessflag	
<b>OP Code</b>	Operation code for change data capture events. 0 - Bulk Load (Insert) 1 - Delete 2 - Insert 4 - Update	Number	bim_submission_prioritization	opcode	
<b>Organization Name</b>	Organization that the producer who created a policy for a specific term belongs to.	Text	bim_submission_prioritization	organizationname	
<b>PC Assessment ID</b>	Unique ID for the assessment record.	Number	bim_submission_prioritization	pcass_id	
<b>Period End Date</b>	Date and time when the policy term ends.	Date	bim_submission_prioritization	periodenddate	
<b>Period ID</b>	Unique number for a policy term.	Number	bim_submission_prioritization	periodid	
<b>Period Start Date</b>	Date and time when a policy term starts.	Date	bim_submission_prioritization	periodstartdate	
<b>Policy Issue Date</b>	Date and time when a policy was first issued.	Date	bim_submission_prioritization	policyissuedate	
<b>Policy Number</b>	Unique number for a bound policy term.	Text	bim_submission_prioritization	polycynumber	
<b>Policy Original Effective Date</b>	Date and time when a policy first became effective.	Date	bim_submission_prioritization	policyoriginaleeffectivedate	
<b>Policy Period Status</b>	Status, such as <i>Bound</i> , <i>Audit</i> , <i>Draft</i> , <i>Expired</i> , <i>Quoted</i> , <i>NotTaken</i> , or <i>Renewing</i> , of a policy for a specific term.	Text	bim_submission_prioritization	policyperiodstatus	
<b>Primary State</b>	Jurisdiction in which a policy term is based.	Text	bim_submission_prioritization	primarystate	
<b>Producer Code</b>	Code of the producer who receives the commissions for a policy.	Text	bim_submission_prioritization	producercode	
<b>Producer Name</b>	Description of the producer who receives the commissions for a policy. (The <i>Description</i> field in PolicyCenter.)	Text	bim_submission_prioritization	producername	
<b>Product Line</b>	Code that indicates the line of business that a policy is associated with, such as: <b>P</b> Indicates PersonalAuto, InlandMarine, Homeowners, and PersonalUmbrella lines of business <b>C</b> Indicates BusinessAuto, BusinessOwners, CommercialProperty, GeneralLiability, WorkersComp, CommercialPackage, CommercialProperty, and Crime lines of business. <b>U</b> Indicates other lines of business.	Text	bim_submission_prioritization	productline	
<b>Quote Type</b>	Type, such as Quick Quote or Full Application, of a quote.	Text	bim_submission_prioritization	quotetype	

## Explore - Predict Business Impact Monitoring Data Dictionary

### Model: BIM Submission Model Results



Published on 03-September-2025  
 ©2025 Guidewire Software, Inc. For information about Guidewire trademarks, visit <http://guidewire.com/legal-notice>.  
 Guidewire Proprietary & Confidential -- DO NOT DISTRIBUTE

Model column name	Description	Type	Source table name	Source column name	Formula
<b>Recommended Action</b>	Recommended action assigned by Analytics Manager, based on Predict model scores. For example, "Take a recorded statement from the witness". If there's no recommended action, the value is N/A.	Text	Formula	Formula	expr: 'if ( [bim_submission_prioritization::recommendedactiondescription] = null ) then "N/A" else [bim_submission_prioritization::recommendedactiondescription] '
<b>Recommended Action Raw</b>	Recommended action assigned by Analytics Manager, based on Predict model scores. If there's no recommended action, the value is null.	Text	bim_submission_prioritization	recommendedactiondescription	
<b>Reject Reason</b>	Reason, such as <i>criminal</i> , <i>fraud</i> , or <i>nonpayment</i> , due to which a policy submission was rejected.	Text	bim_submission_prioritization	rejectreason	
<b>Reject Reason Detail</b>	Description of the reason due to which a policy submission was rejected.	Text	bim_submission_prioritization	rejectreasondetail	
<b>Score Date</b>	Date when the score was generated by the Predict model.	Date	bim_submission_prioritization	scoredate	
<b>Submission Active Flag</b>	Flag that has a value of Y if a submission or renewal policy transaction is in one of the following states: Binding, Draft, New, Quoted, Quoting, Temporary.	Text	bim_submission_prioritization	submissionactiveflag	
<b>Submission Create Date</b>	Date and time when a transaction for a new or existing policy was created.	Date	bim_submission_prioritization	submissioncreatedatetime	
<b>Submission Created Username</b>	Login name of the user who created a policy transaction.	Text	bim_submission_prioritization	submissioncreatedusername	
<b>Submission Date</b>	Date and time on which a policy submission was created.	Date	bim_submission_prioritization	submissiondate	
<b>Submission Number</b>	Unique identifier of a policy transaction.	Text	bim_submission_prioritization	submissionnumber	
<b>Submission Straight Through Processing Flag</b>	Flag that has a value of Y if a policy transaction was processed straight-through, without any intervention from an external user, such as an underwriter. Otherwise, has a value of N.	Text	bim_submission_prioritization	submissionstraightthroughprocesssingflag	
<b>Submission Update Date</b>	Date and time when a policy or its latest revision was last updated.	Date	bim_submission_prioritization	submissionupdatedatetime	
<b>Tap ID</b>	Unique ID for the Predict model.	Text	bim_submission_prioritization	tapid	
<b>Term Number</b>	Number, starting at 1, that is incremented for each renewal and rewrite of a policy across different policy terms.	Number	bim_submission_prioritization	termnumber	
<b>Underwriter Name</b>	First and last name of the underwriter who is assigned to a submission or renewal policy transaction.	Text	bim_submission_prioritization	underwriteractualname	
<b>Underwriting Company Name</b>	Name of the underwriting company that processed a policy.	Text	bim_submission_prioritization	underwritingcompanyname	
<b>Update Time</b>	Date and time when the assessment was updated.	Date	bim_submission_prioritization	updateatime	
<b>Measures (A-Z)</b>					
<b>Active Bound Premium</b>	Sum of all premiums, not including taxes or other costs, in the latest revision of a new submission or renewal policy transaction that was bound but not issued.	Number	bim_submission_prioritization	activeboundpremiumamount	
<b>Active Quote Count</b>	Has a value of 1 if a policy that was created in a new submission or renewal transaction was quoted but not bound or issued. Otherwise, has a value of 0.	Number	bim_submission_prioritization	activequotecount	
<b>Active Submission Count</b>	Has a value of 1 if a policy that was created in a new submission or renewal transaction was quoted but not bound or issued, or is still being edited. Otherwise, has a value of 0.	Number	bim_submission_prioritization	activesubmissioncount	
<b>Bound Count</b>	Has a value of 1 if a policy that was created in a new submission or a renewal transaction was bound. Otherwise, has a value of 0.	Number	bim_submission_prioritization	boundcount	
<b>Bound Premium</b>	Sum of the all premiums, not including taxes or other costs, for a policy that resulted from a new submission or renewal transaction that was bound.	Number	bim_submission_prioritization	boundpremiumamount	
<b>Bound to Issued Rate</b>	Has a value of 1 if a policy was issued. Has a value of 0 if the policy was bound but not issued.	Number	bim_submission_prioritization	boundtoissuedrate	
<b>Days Bound to Issued</b>	If a policy was issued, then the number of days from the time the policy was bound to the time the policy was issued. If the policy was bound but not issued, then has a value of 0.	Number	bim_submission_prioritization	daysboundtoissued	
<b>Days Draft to Bound</b>	If a policy was bound or issued, then the number of days from the time the policy was first created to the time the policy was bound.	Number	bim_submission_prioritization	daysdrafttobound	
<b>Days Draft to Issued</b>	If a policy was issued, then the number of days from the time the policy was first created to the time the policy was issued.	Number	bim_submission_prioritization	daysdrafttoissued	
<b>Days Draft to Quote</b>	If a policy was quoted, bound, or issued, then the number of days from the time the policy was first created to the time the policy was first quoted.	Number	bim_submission_prioritization	daysdrafttoquote	
<b>Days Quote to Bound</b>	If a policy was bound or issued, then the number of days from the time the policy was first quoted to the time the policy was bound. If the policy was quoted but not bound or issued, then has a value of 0.	Number	bim_submission_prioritization	daysquotetobound	
<b>Days Quote to Issued</b>	If a policy was issued, then the number of days from the time the policy was first quoted to the time the policy was issued. If the policy was quoted or bound but not issued, then has a value of 0.	Number	bim_submission_prioritization	daysquotetoissued	
<b>Declined Count</b>	Has a value of 1 if a new submission or renewal transaction was declined by an underwriter before the policy was bound. Otherwise, has a value of 0.	Number	bim_submission_prioritization	declinedcount	
<b>Draft to Bound Rate</b>	Has a value of 1 if a policy was bound or issued. Otherwise, has a value of 0.	Number	bim_submission_prioritization	drafttoboundrate	
<b>Draft to Issued Rate</b>	Has a value of 1 if a policy was issued. Otherwise, has a value of 0.	Number	bim_submission_prioritization	drafttoissuedrate	
<b>Estimated Premium</b>	For commercial lines of business, such as commercial property, the estimated premium amount for a policy term. For a new submission, you enter this estimate before quoting the policy. For renewals or rewrites, this value is populated from the previous policy term.	Number	bim_submission_prioritization	estimatedpremiumamount	
<b>Hours Bound to issued</b>	If a policy was issued, then the number of hours from the time the policy was bound to the time the policy was issued. If the policy was bound but not	Number	bim_submission_prioritization	hoursboundtoissued	
<b>Hours Draft to Bound</b>	If a policy was bound or issued, then the number of hours from the time the policy was first created to the time the policy was bound.	Number	bim_submission_prioritization	hoursdrafttobound	

## Explore - Predict Business Impact Monitoring Data Dictionary

### Model: BIM Submission Model Results



Published on 03-September-2025  
 ©2025 Guidewire Software, Inc. For information about Guidewire trademarks, visit <http://guidewire.com/legal-notices>.  
 Guidewire Proprietary & Confidential -- DO NOT DISTRIBUTE

Model column name	Description	Type	Source table name	Source column name	Formula
<b>Hours Draft to Issued</b>	If a policy was issued, then the number of hours from the time the policy was first created to the time the policy was issued.	Number	bim_submission_prioritization	hoursdrafttoissued	
<b>Hours Draft to Quote</b>	If a policy was quoted, bound, or issued, then the number of hours from the time the policy was first created to the time the policy was first quoted.	Number	bim_submission_prioritization	hoursdrafttoquote	
<b>Hours Quote to Bound</b>	If a policy was bound or issued, then the number of hours from the time the policy was first quoted to the time the policy was bound. If the policy was quoted but not bound or issued, then has a value of 0.	Number	bim_submission_prioritization	hoursquotetobound	
<b>Hours Quote to Issued</b>	If a policy was issued, then the number of hours from the time the policy was first quoted to the time the policy was issued. If the policy was quoted or bound but not issued, then has a value of 0.	Number	bim_submission_prioritization	hoursquotetoissued	
<b>Issued Count</b>	Has a value of 1 if a policy was issued in a new submission or renewal transaction with a bind type of BindAndIssue, or in an issuance transaction. Otherwise, has a value of 0.	Number	bim_submission_prioritization	issuedcount	
<b>Issued Premium</b>	Sum of the all premiums, not including taxes or other costs, for a policy that was issued either from an issuance transaction, or from a submission or renewal transaction with a bind type of BindAndIssue.	Number	bim_submission_prioritization	issuedpremiumamount	
<b>Not Taken Count</b>	Has a value of 1 if a new submission or renewal transaction was closed before the policy was bound because the applicant decided to not accept the offered policy.	Number	bim_submission_prioritization	nottakencount	
<b>Quote Count</b>	Has a value of 1 if a policy was quoted. Otherwise, has a value of 0.	Number	bim_submission_prioritization	quotecount	
<b>Quote to Bound Rate</b>	Has a value of 1 if a policy was bound or issued. Has a value of 0 if the policy was quoted but not bound or issued.	Number	bim_submission_prioritization	quotetoboundrate	
<b>Quote to Issued Rate</b>	Has a value of 1 if a policy was issued. Has a value of 0 if the policy was quoted or bound but not issued.	Number	bim_submission_prioritization	quotetoissuedrate	
<b>Score</b>	Score generated by the Predict model.	Number	bim_submission_prioritization	score	
<b>Submission Count</b>	Has a value of 1 to indicate that a policy transaction was initiated in PolicyCenter.	Number	bim_submission_prioritization	submissioncount	
<b>Total Cost</b>	Sum of all premiums, taxes, and any other costs for a term of a policy.	Number	bim_submission_prioritization	totalcostamount	
<b>Total Premium</b>	Sum of all premiums for a term of a policy. This amount does not include taxes and other costs.	Number	bim_submission_prioritization	totalpremiumamount	
<b>Total Quoted Count</b>	Total number of quotes for a policy.	Number	bim_submission_prioritization	totalquotedcount	
<b>Transaction Premium</b>	Total amount of all premiums, not including taxes or other costs, for a term of a policy.	Number	bim_submission_prioritization	transactionpremiumamount	
<b>Version Count</b>	Number of bound revisions of a policy.	Number	bim_submission_prioritization	versioncount	
<b>Withdrawn Count</b>	Number that has a value of 1 if a submission or renewal transaction was withdrawn; otherwise, has a value of 0.	Number	bim_submission_prioritization	withdrawncount	